

Application/Control Number: 09/430,536
Art Unit: 2600

Page 2

CLMPTO 09/22/04 JW

Cancel Claims 3,10,15,23,

Amend Claims 1, 18,

Add New Claims 33,

wherein said two-way communication link is adapted to retransmit predetermined portions of lost/corrupted software application data that has been broadcast by said broadcast system, with a request for retransmission of said lost/corrupted data is transmitted over the forward channel and retransmission of the said lost/corrupted data is transmitted over the return channel.

2. (Original) The communication system as set forth in Claim 1, wherein the broadcast system is a wireless broadcast system.

3. (Cancelled).

4. (Previously presented) The communication system as set forth in Claim 1, wherein each of the portable devices further includes a modem for establishing the two-way communication link.

5. (Original) The communication system as set forth in Claim 4, wherein the modem of each of the portable devices is a wireless modem.

6. (Original) The communication system as set forth in Claim 1, wherein the broadcast system is a satellite-based broadcast system.

NOT AVAILABLE COPY

7. (Original) The communications system as set forth in Claim 1, wherein the broadcast system broadcasts the software applications over different channels each occupying a different respective frequency band.

8. (Original) The communications system as set forth in Claim 1, wherein the broadcast system is a satellite broadcast system.

9. (Original) The communications system as set forth in Claim 2, wherein the tuner of the receiver of each of the multiplicity of portable clients is selectively tunable to any selected one of the plurality of different frequency bands in order to receive one or more of the software applications broadcasted by the broadcast system.

10. (Canceled).

11. (Currently Amended) The communications system as set forth in Claim 11, wherein the two-way communications link between the server system and each of the multiplicity of portable clients is a portable data communications link.

12. (Original) The communications system as set forth in Claim 1, wherein each of the portable clients is a portable data communications device.

13. (Original) The communications system as set forth in Claim 1, wherein each of the portable clients further includes a user-interface that enables a user to select one of

the broadcasted software applications for downloading, and a processor for executing the downloaded software application.

14. (Original) The communications system as set forth in Claim 13, wherein:
the broadcast system broadcasts the software applications over different channels each occupying a different respective frequency band; and,

the tuner of the receiver of each of the multiplicity of portable clients is selectively tunable to any selected one of the plurality of different frequency bands in order to receive one or more selected one of the software applications broadcasted by the broadcast system.

15. (Canceled).

16. (Currently Amended) The communications system as set forth in Claim 14, wherein the broadcast system is a satellite broadcast system.

LIST AVAILABLE COPY

17. (Original) The communications system as set forth in Claim 16, wherein each of the portable clients further includes a modem for establishing the two-way communication link.

18. (Currently Amended) The communications system as set forth in Claim 14, wherein the system data includes instructions for supervising the downloading of software applications.

19. (Original) The communications system as set forth in Claim 16, wherein the client data includes requests for unsolicited software application data and the system data includes the unsolicited software application data.

20. (Original) The communications system as set forth in Claim 16, wherein the client data includes client software download request data, and the system data includes download control data issued in response to the client software download request data.

21. (Previously presented) A portable data communications device, comprising:
a receiver that includes a tuner that is selectively tunable to receive a selected one of a plurality of software applications being simultaneously broadcast by a broadcast system over a plurality of channels that are selectively in communication with a return channel from the broadcast system;

a user interface that enables a user to select one of the broadcast software applications from a menu for downloading;

a processor for controlling the downloaded software application; and

a modem for establishing a two-way communications link with a network computer system, said two-way communications link being separate from the broadcast system, wherein the two-way communications link includes a forward channel over which the portable data communications device can broadcast client data to the network computer system, and the return channel over which the network computer system can

BEST AVAILABLE COPY

transmit data to the portable communications device selected from a plurality of channels;

wherein said two-way communications link is adapted to retransmit predetermined portions of lost/corrupted wireless application data that have been broadcast by said network access system, with a request for retransmission of wireless/corrupted data is transmitted over the forward channel and retransmission of the missing/corrupted data is transmitted over the return channel;

22. (Original) The portable data communications device as set forth in Claim 21, wherein said program is executed by the processor for controlling the device;

23. (Cancelled);

24. (Original) The portable data communications device as set forth in Claim 21, wherein the broadcast system is a satellite direct broadcast system;

25. (Previously presented) The portable data communications device as set forth in Claim 21, wherein the method is a wireless method;

26. (Original) The portable data communications device as set forth in Claim 21, wherein the broadcast system is a satellite direct broadcast system;

BEST AVAILABLE COPY

27. (Previously presented) The portable communications device as set forth in Claim 21, wherein the system data includes instructions for registering the downloading of software applications.

28. (Original) The portable data communications device as set forth in Claim 23, wherein the system data includes requests for non-volatile software application data and the system data includes instructions for software application data.

29. (Previously presented) The portable data communications device as set forth in Claim 21, wherein the system data includes software request data, and the system data includes download control data issued in response to the system software request data.

30. (Original) The portable data communications device as set forth in Claim 21, wherein:

the broadcast system broadcasts the software applications over different channels each occupying a different frequency band; and

the user is selectively tunable to any selected one of the plurality of different frequency bands in order to receive the selected one of the software applications broadcast by the broadcast system.

31. (Previously presented) A method of doing business comprising:
storing software applications on a server system;

TEST AVAILABLE COPY

1. broadcasting the software applications to a multiplicity of independent portable clients that each include a receiver having no lower data is selectively capable to receive a selected one of the plurality of software applications being simultaneously broadcasted by the broadcast system over a return channel from the broadcast system; and
2. assigning a user of the portable clients a fee for receiving a selected one of the software applications, wherein the fee is selected from the group consisting of time-of-use basis, a subscription basis, a per application downloaded basis or a per transaction basis; and

wherein the server system receives a request for broadcasting the software applications by the portable clients over communication channels separate from the broadcast system; and

wherein requests for retransmission of missing/corrupted software application data is made by at least one of the portable clients over the communication channels separate from the broadcast system, and a retransmission of the missing/corrupted software application data is made over the communication channels separate from the broadcast system.

22. (Previously presented) The method according to claim 21, wherein said communication channels separate from broadcast system from which the server receives a request from at least one of the portable clients comprises forward and return channels via a PSTN (Public Switched Telephone Network) and CTN (Cellular Telephone Network).

33. (New) The portable data communications device according to claim 21, wherein said two-way communications link is adapted to retransmit predetermined portions of lost/corrupted software application data that have been broadcast by said network control system, with a request for retransmission of missing/corrupted data is transmitted over the forward channel and retransmission of the missing/corrupted data is transmitted over the return channel without retransmission of missing/corrupted data by the broadcast system.

BEST AVAILABLE COPY